

## P r i s c i l l a



PRISCILLA OF BOSTON, PRISCILLA THE BRIDES' SHOP  
201 STEELE STREET, DENVER 303-355-9491

Rocky Mountain News Thurs., Jan. 18, 1996


## Corrective Action Decision/Record of Decision (CAD/ROD) Declarations for two Operable Units (OUs) at the Rocky Flats Environmental Technology Site.

### Operable Unit 11: West Spray Field

A CAD/ROD has been issued for OU 11, West Spray Field. OU 11 encompasses approximately 105 acres in the western Rocky Flats Environmental Technology Site buffer zone. OU 11 consist of one individual Hazardous Substance Site.

The preferred alternative for OU 11 is one of "No Action." The No Action Decision is based upon the National Oil and Hazardous Substances Pollution Contingency Plan provision for a No Action alternative when a site or OU is in a protected state, i.e., poses no current or potential threat to human health or the environment.

Because the No Action remedy will not result in hazardous substances, pollutants, or contaminants remaining on site above levels which allow for unlimited use and unrestricted exposure, five-year reviews per section 121 of the Comprehensive Environmental Response, Compensation and Liability Act will not be required.



For information about environmental restoration activities or other Rocky Flats related topics, please contact Michael Kowczal, U.S. Department of Energy Rocky Flats Field Office Community Relations at (303) 966-5993, or Dennis Connors, Kaiser-Hill Community Relations at (303) 966-8164.

The CAD/RODs for OUs 11 & 15 are available for review at the Rocky Flats Public Reading Room located in the library of Front Range Community College, 3645 W. 112th Avenue, Westminster, Colorado.

- FREE HEARING TESTS
- 100% MONEY BACK GUARANTEE
- 30 DAY TRIAL PERIOD

**HEARITE**  
1-800-575-3277

REPAIRS  
\$59.00  
ANY BRAND

DENVER 3110 S. Westmore # 104 1200 N. Peoria #180 7100 W. 44th Ave.  
1306 Lupton  
CUSTOM SYSTEMS MANUFACTURED BY OMNI HEARING SYSTEMS, A DIVISION OF STARKER LABORATORIES, INC.

### Operable Unit 15: Inside Building Closures

A CAD/ROD has been issued for OU 15, Inside Building Closures. OU 15 consists of six individual Hazardous Substance Sites (IHSSs) in several buildings at Rocky Flats.

The preferred alternative for OU 15 consists of the following actions: 1) Clean Closure under the Resource Conservation and Recovery Act for all six OU 15 IHSSs, 2) a No Action with regard to Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) requirements for three of the IHSSs, and 3) a deferral of any CERCLA actions at the remaining three IHSSs until final disposition of their respective buildings. The No Action decision for the three IHSSs in action #2 above is based upon the National Oil and Hazardous Substances Pollution Contingency Plan provision for a No Action alternative when a site or Operable Unit is in a protected state, i.e., poses no current or potential threat to human health or the environment.

Because the No Action remedy will not result in hazardous substances remaining on site above Applicable or Relevant and Appropriate Requirements, To Be Considered criteria, or protective standards, five year-reviews per section 121 of CERCLA are not required.

stein said use a  
eral remodeling  
low \$20,000s.

Fenstein said  
picked Anders  
the three-bedro  
ily accommodat  
acted person.

Right now it  
wreck than a rat  
Parts of wall  
ished to make  
bathroom wall  
down and move  
All of the ki  
counters will be  
The laundry  
so that the  
expanded.

Anderson, ti  
has rented the  
years. She emp  
nothing agaus  
ple. "I could be  
someday," she  
But she rese  
construction ha  
Anderson w  
make more sen  
new home with  
capped.

Reinstein co  
But he says his  
"The proble  
from HUD to c  
tion," Reinst  
Despite the  
make the hom  
capped residen  
can't force a  
unless she viol  
"It would be  
situation," Re  
hope we could  
But Ander

leave until her  
18—in seven  
"My kids a  
area," she sai  
to have anoth  
approve of 1 c  
school."